

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	27	(restoring recovering) WITH (previous ADJ (software image))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/21 07:44
S1	60	((THOMAS) near2 (CHEFALAS)).INV.	US-PGPUB; USPAT	OR	ON	2007/10/31 16:14
S2	73	((STEVEN) near2 (MASTRIANNI)).INV.	US-PGPUB; USPAT	OR	ON	2007/10/31 16:14
S3	1536	717/115.ccls. 717/114.ccls. 717/174.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:22
S4	2	"313385".apn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:23
S8	25327121	@ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:25
S9	998	S8 AND S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:25
S10	0	(auto WITH reinstallation) SAME (script)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:26
S11	0	(auto WITH reinstallation) AND (script)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:26
S12	5168	(configuration WITH (operating ADJ system)) SAME (stor\$3 parameters)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:32
S13	56	S12 AND S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:32

S14	24	S13 AND (restoring restore reinstall (back adj up))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:41
S15	48	S13 AND ((recording using) AND (chang\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:48
S16	15	S13 AND ((recording using) WITH (chang\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:49
S17	0	(restoring restores recovers recovering) WITH (partion WITH (files data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:07
S18	85398	(restoring restores recovers recovering) WITH (files data configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:09
S19	1541	717/115.ccls. 717/114.ccls. 717/174.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:09
S20	25340220	@ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:09
S21	998	S20 AND S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:09
S22	89	S18 AND S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:09
S23	2	"6195695".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:18
S24	2	"6182212".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:20

S25	2	"6167494".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:20
S26	0	"10313385".apn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:22
S27	0	("10313385.apn.").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/05 14:22
S28	2	"313385".apn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:22
S29	12434	Hewlett ADJ Packard ADJ Development\$4.AS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:25
S30	28	S29 AND S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:28
S31	2	S30 AND (recovering restoring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:29
S32	3	S30 AND (recover\$3 restor\$3 (back ADJ up))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 14:30
S33	1023	(restoring restores recovers recovering) SAME ((operating ADJ system) AND (configuration settings) AND (applications programs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:27
S34	14	S33 AND S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:28
S35	46	(restoring restores recovers recovering) SAME ((operating ADJ system) AND (user adj (configuration setting)) AND (applications programs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:37

S36	46	(restoring restore recover recovering) SAME ((operating ADJ system) AND (user adj (configuration setting)) AND (application program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:39
S37	2	S36 AND S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:40
S38	47	(restoring restore recover recovering) SAME ((operating ADJ system (OS) AND (user adj (configuration setting)) AND (application program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:44
S39	29	S38 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 15:46
S40	315	(recording monitoring records monitors) SAME ((operating ADJ system) AND (user adj (configuration setting)) AND (application program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:05
S41	372	(recording monitoring records monitors) SAME ((operating ADJ system) AND (user adj (configuration setting modification)) AND (application program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:06
S42	246	S41 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:06
S43	2	S41 AND S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 16:08
S44	32	(patch\$3 WITH (user adj (configuration setting)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:12
S45	19	S44 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:12

S46	78	(patch\$3 WITH (recovering restoring WITH(user adj (configuration setting))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:13
S47	57	S46 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:13
S48	152	"57" AND S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:14
S49	152	S48 AND S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:14
S50	1	S47 AND S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:14
S51	875311	Microsoft Corporation\$4.AS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:29
S52	248	S51 AND S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:29
S53	163	S52 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:29
S54	18704	Microsoft ADJ Corporation\$4.AS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:30
S55	7781	S54 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:30
S56	1	S55 AND S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:33

S57	4	S55 AND S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:36
S58	29	S55 AND ((recovering restoring) ADJ (system configuration settings OS (operating adj system)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:40
S59	3	S55 AND ((recovering restoring) ADJ ((user adj (system configuration settings)) OS (operating adj system)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:42
S60	0	S55 AND ((recovering restoring) ADJ ((user adj (system configuration settings)) AND (OS (operating adj system)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:43
S61	2	((recovering restoring) ADJ ((user adj (system configuration settings)) AND (OS (operating adj system))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:43
S62	38	((recovering restoring) SAME ((user adj (system configuration settings)) AND (OS (operating adj system))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:53
S63	31	S62 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 17:54
S64	28	S29 AND S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 18:05
S65	19	S29 AND ((recovering restoring) ADJ (system configuration settings OS (operating adj system)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 18:07
S66	17	S65 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 18:07
S67	2	"5745669".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 18:20

S68	2	(recovering restoring rescuing recover restore rescue) WITH (user ADJ (configuration setting attribute selection)) WITH (backup copies) WITH (copying)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 18:49
S69	36	(recovering restoring rescuing recover restore rescue) WITH (user ADJ (configuration setting attribute selection)) AND (backup copies) AND (copying)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 18:51
S70	16	S69 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 18:54
S71	12	(copying) WITH (items objects attributes) WITH (user ADJ (configuration attribute))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 19:14
S72	4	S71 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 19:14
S73	0	copying WITH (items objects) WITH (user ADJ (configuration attribute))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 19:16
S74	3	copying WITH (items objects) WITH (user ADJ (configuration attribute))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 19:17
S75	6	copying WITH (items objects) WITH (user ADJ (configuration setting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 19:17
S76	18	restoring WITH (user ADJ (configuration setting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 19:20
S77	14	S76 AND S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/05 19:21

S78	2	"6728711".pn.	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 14:06
S79	2	"6928444".pn.	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 14:08
S80	8379	(storing saving) ADJ (operating ADJ systems)	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:15
S81	1542	717/115.ccls. 717/114.ccls. 717/174.ccls.	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:17
S82	25341112	@ad<="20031206"	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:17
S83	999	S82 AND S81	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:17
S84	31	S80 AND S83	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:17
S85	6	S84 AND (recovering restoring)	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:17
S86	6	S85 AND S84	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:18
S87	0	(storing saving) ADJ ((multiple different) WITH (operating ADJ systems)) AND (recovering restoring recovers restores)	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:21
S88	1	(storing saving) ADJ ((multiple different) WITH (operating ADJ systems))	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:22

S89	0	(storing saving) ADJ (backup WITH (operating ADJ systems))	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:23
S90	0	(storing saving) ADJ (set WITH (operating ADJ systems))	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:24
S91	6651	(storing saving) SAME ((set different) WITH (operating ADJ systems))	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:25
S92	1310	S91 AND (recover\$3 restoring \$3)	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:25
S93	710	S92 AND S82	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:26
S94	11	S93 AND S81	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:26
S95	28999	(storing saving) SAME ((Linux Windows))	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:36
S97	135	(storing saving) with ((Linux AND Windows))	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:37
S98	0	(storing saving) with ((DOS AND + Linux AND Windows))	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:38
S99	85	(storing saving) with ((DOS AND Linux AND Windows))	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:38
S100	56	S99 AND S82	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:38

S101	0	S99 AND S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:39
S102	17227	(storing saving) with ((operating ADJ systems))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:41
S103	1699	(storing saving) with ((operating ADJ systems)) AND (recovering restoring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:43
S104	1096	S103 AND S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:44
S105	15	S104 AND S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:44
S106	5	(storing saving) with ((Linux AND DOS AND Windows)) AND (recovering restoring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 15:50
S107	5	"692844".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:00
S108	2	"6928444".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:00
S109	5	(storing saving) with ((Linux AND DOS AND Windows)) AND S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:13
S110	0	(storing saving) with ((Linux AND DOS AND Windows)) AND S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:13
S111	15	S103 AND S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:14

S112	75338	(storing saving) with ((operating systems)) AND (recover\$3 restor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:24
S113	76440	(storing stores saving saves) with ((operating systems)) AND (recovering recovers restores restoring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:24
S114	109	S113 AND S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:26
S115	6565	(storing stores saving saves) with ((operating ADJ systems)) AND (recovering recovers restores restoring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:27
S116	37	S115 AND S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:28
S117	17607	(storing stores saving saves) near2 ((operating ADJ systems))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:31
S118	64	S117 AND S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:31
S119	22808	(storing stores saving saves) near2 (multiple different ADJ (operating ADJ systems))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:32
S120	17	S119 AND S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:33
S121	43	(storing stores saving saves) near2 ((multiple different ADJ(operating ADJ systems))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:34
S122	0	S121 AND S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:34

S123	0	S121 AND S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:34
S124	26	S121 AND S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:34
S125	2	"6763327".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:42
S126	13	(saving) WITH ((multiple different) ADJ (operating ADJ systems))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:48
S127	5	S126 AND S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:49
S128	87	(storing) WITH ((multiple different) ADJ (operating ADJ systems))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:51
S129	89	"87" AND S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:52
S130	89	S129 AND S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:52
S131	67	S129 AND S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:52
S132	53	S128 AND S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 16:54
S133	452	((database medium) ADJ (storing saving)) WITH (operating ADJ systems)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 17:07

S134	304	S133 AND S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 17:12
S135	3	S133 AND S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 17:13
S136	17	(storing saving)) WITH (installation ADJ (preference choice answer selection parameters)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 17:16
S137	8	S136 AND S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 17:17
S138	37	(storing saving) WITH (installation ADJ configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 17:18
S139	23	S138 AND S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 17:18
S140	2	"6928444".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 18:02
S141	19	(storing) WITH (user adj (operating ADJ system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 18:19
S142	1	S141 AND S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 18:20
S143	15	S141 AND S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 18:20
S144	2	"20020042892"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 18:24

S145	2	"6928444".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 18:29
S146	2	"20050144617"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:08
S147	2	"313385".apn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/07 20:08
S148	2	"20040025155"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 09:52
S149	2	"20020026436"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:21
S150	1546	717/115.ccls. 717/114.ccls. 717/174.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:59
S151	25343418	@ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:59
S152	1001	S151 AND S150	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:59
S153	34	S152 AND (monitors with installation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:59
S154	0	S152 AND (monitors WITH (installation ADJ (choice selection configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:03
S155	11	S151 AND (monitors WITH (installation ADJ (choice selection configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:03

S156	35	S151 AND (monitoring WITH (installation ADJ (choice selection configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:05
S157	23661	S151 AND (monitor\$3 WITH ((user customer) ADJ installation configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:09
S158	5961831	S151 AND (monitor\$3 WITH ((user customer) ADJ installation configuration) AND operating system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:10
S159	142409	(monitors monitoring) WITH (user (choices configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:12
S160	95511	S159 AND S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 10:13
S162	2	"20040025155"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 11:01
S163	2	"6928444".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 11:31
S164	134	(copies monitors witnesses saves) WITH ((installation configuration)near2 (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 14:29
S165	74	S164 AND S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 14:41
S166	153452	(copies monitors witnesses saves) WITH (user customer adj (installation configuration) near2 (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 14:42
S167	2	(copies monitors witnesses saves) WITH ((user customer) adj (installation configuration)near2 (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 14:43

S168	2	(copies monitors witnesses saves) WITH ((selection input choice) ADJ (installation configuration) WITH (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:27
S169	201	(copies copying monitors records recording saves saving) WITH ((selection input choice) ADJ (installation configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:31
S170	61	(copies copying monitors records recording saves saving) WITH (user customer) ADJ((selection input choice) ADJ (installation configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:32
S171	2	(re-examining re-analyzing re-evaluating) WITH (user ADJ (parameter choice selection configuration modification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:02
S172	1	(re-examining re-analyzing re-evaluating) WITH (user ADJ (image configuration installation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:07
S173	93	(examining analyzing evaluating) WITH (user ADJ (image configuration installation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:07
S174	2	(examining analyzing evaluating) WITH (user ADJ (image configuration installation)) AND S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:08
S175	0	(recording saving copying) WITH (user ADJ (modification change)) AND S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:16
S176	0	(recording saving copying) WITH (user ADJ (modification)) AND S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:16
S177	26	(recording saving copying) WITH (user ADJ (modification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:17

S178	21	(recording saving copying) WITH (user ADJ (modification)) AND S151	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:17
S179	0	(recording saving copying) WITH (user ADJ (modification)) AND S152	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:22
S180	2	(recording saving copying) WITH (user ADJ (modification configuration)) AND S152	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:23
S181	0	(re-examining re-analyzing re-evaluating) WITH (customer ADJ (image configuration installation))	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:43
S182	75	(re-examining re-analyzing re-evaluating) WITH (image configuration installation)	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:44
S183	1	S182 AND S152	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:44
S184	60	(re-examining re-analyzing re-evaluating) WITH (image configuration installation) AND S151	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:46
S185	45132	(re-examining re-analyzing re-evaluating comparing) WITH (image configuration installation) AND S151	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:49
S186	70353	(re-examine re-analyze re-evaluate comparing compare) WITH (image configuration installation) AND S151	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:50
S187	65	(re-examine re-analyze re-evaluate comparing compare) WITH (image configuration installation) AND S152	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:50
S188	0	(re-examine re-analyze re-evaluat) WITH (image configuration installation) AND S152	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:51

S189	0	(re-examine re-analyze re-evaluate) WITH (image configuration installation) AND S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:51
S190	0	((examine examining analyze evaluate evaluating)near2 (again)) WITH (image configuration installation) AND S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:52
S191	1	(re-examining re-analyzing re-evaluating) WITH (image configuration installation) AND S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:54
S192	60	(re-examining re-analyzing re-evaluating) WITH (image configuration installation) AND S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:54
S193	84	(re-examining re-analyzing re-evaluating) WITH (image configuration installation parameters) AND S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:56
S194	1	(re-examining re-analyzing re-evaluating) WITH (image configuration installation parameters) AND S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 18:56
S195	3	2004/0025155	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 11:07
S196	2	"20040025155"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 11:08
S197	813	(script software procedure program) WITH ((records recording storing stores) ADJ (modification changes differences near2 (configuration image)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:31
S198	1546	717/115.ccls. 717/114.ccls. 717/174.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:06
S199	25343418	@ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:06

S200	1001	S199 AND S198	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:06
S201	4	S197 AND S200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:06
S202	581	S197 AND S199	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:10
S203	2	(script software procedure program) WITH ((records recording storing stores) ADJ ((user customer)ADJ (modification changes differences near2 (configuration image))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:14
S204	1	(reexamining re-examining reexamine re-examine re- analyze reanalyzing) WITH (user ADJ (configuration image installation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:37
S205	1	(reexamining re-examining reexamine re-examine re- analyze reanalyzing) SAME (user ADJ (configuration image installation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:39
S206	266	(reexamining re-examining reexamine re-examine re- analyze reanalyzing rechecks re-checks verifying verifies) SAME ((user customer expert administrator) ADJ (configuration image installation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:41
S207	122	(reexamining re-examining reexamine re-examine re- analyze reanalyzing rechecks re-checks verifying verifies) WITH ((user customer expert administrator) ADJ (configuration image installation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:41
S208	75	S207 AND S199	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:41

S209	2	S207 AND S200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:42
S210	2	"20040025155"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 15:03
S211	83718	(backup back-up reserve\$1) WITH (operating systems)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:22
S212	51272	(set ADJ2 backup back-up reserve\$1) WITH (operating systems)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:22
S213	1547	717/115.ccls. 717/114.ccls. 717/174.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:23
S214	25344796	@ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:23
S215	1002	S214 AND S213	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:23
S216	31	S212 AND S215	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:23
S217	1756	(set ADJ2 backup back-up reserve\$1) WITH (operating ADJ systems)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:26
S218	7	S217 AND S215	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:26
S219	1333	S217 AND S214	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:28

S220	742	S219 AND (copies copying)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:37
S221	742	S217 AND S220	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:37

11/21/2007 7:45:57 AM

C:\Documents and Settings\amejia\My Documents\EAST\Workspaces\10729468.wsp